

Prepared for San Diego Association of Governments (SANDAG), California Department of Fish and Wildlife, Bureau of Land Management, and U.S. Fish and Wildlife Service

## **Biotelemetry Data for Golden Eagles (*Aquila chrysaetos*) Captured in Coastal Southern California, November 2014–February 2016**



Data Series 994

**Cover:** Photograph showing eagle (GOEA-SD-M001) taking flight after release on Otay Mountain, San Diego County, California. Photograph by Jeremy Sebes, U.S. Geological Survey, December 5, 2014.

# **Biotelemetry Data for Golden Eagles (*Aquila chrysaetos*) Captured in Coastal Southern California, November 2014–February 2016**

By Jeff A. Tracey, Melanie C. Madden, Jeremy B. Sebes, Peter H. Bloom, Todd E. Katzner, and  
Robert N. Fisher

Prepared for San Diego Association of Governments (SANDAG), California Department of  
Fish and Wildlife, Bureau of Land Management, and U.S. Fish and Wildlife Service

Data Series 994

**U.S. Department of the Interior**  
**U.S. Geological Survey**

**U.S. Department of the Interior**  
SALLY JEWELL, Secretary

**U.S. Geological Survey**  
Suzette M. Kimball, Director

U.S. Geological Survey, Reston, Virginia: 2016

For more information on the USGS—the Federal source for science about the Earth, its natural and living resources, natural hazards, and the environment—visit <http://www.usgs.gov> or call 1–888–ASK–USGS.

For an overview of USGS information products, including maps, imagery, and publications, visit <http://www.usgs.gov/pubprod/>.

Unless otherwise stated, all data, metadata and related materials are considered to satisfy the quality standards relative to the purpose for which the data were collected. Although these data and associated metadata have been reviewed for accuracy and completeness and approved for release by the U.S. Geological Survey (USGS), no warranty expressed or implied is made regarding the display or utility of the data on any other system or for general or scientific purposes, nor shall the act of distribution constitute any such warranty.

Any use of trade, firm, or product names is for descriptive purposes only and does not imply endorsement by the U.S. Government.

Although this information product, for the most part, is in the public domain, it also may contain copyrighted materials as noted in the text. Permission to reproduce copyrighted items must be secured from the copyright owner.

Suggested citation:

Tracey, J.A., Madden, M.C., Sebes, J.B., Bloom, P.H., Katzner, T.E., and Fisher, R.N., 2016, Biotelemetry data for golden eagles (*Aquila chrysaetos*) captured in coastal southern California, November 2014–February 2016: U.S. Geological Survey Data Series 994, 32 p., <http://dx.doi.org/10.3133/ds994>.

ISSN 2327-638X (online)



# Contents

Abstract.....	1
Introduction.....	1
Methods.....	1
Biotelemetry.....	1
Data Filtering.....	2
Biotelemetry Data for Captured Golden Eagles .....	2
Acknowledgments.....	32
References Cited.....	32

## Figures

1. Map showing golden eagle trapping locations, southern California .....	4
2. Map showing location data for eagle GOEA-SD-F001 captured at Boulder Oaks, San Diego County, California, November 22, 2014.....	5
3. Map showing location data for eagle GOEA-SD-F002 captured at Cedar Canyon, San Diego County, California, November 28, 2014 .....	6
4. Map showing location data for eagle GOEA-SD-F003 captured at Cedar Canyon, San Diego County, California, December 5, 2014 .....	7
5. Map showing location data for eagle GOEA-SD-F004 captured at Marron Valley, San Diego County, California, December 27, 2014 .....	8
6. Map showing location data for eagle GOEA-SD-F005 captured at O’Neal Canyon, San Diego, California, January 3, 2015.....	9
7. Map showing location data for eagle GOEA-SD-F006 captured at Santa Ysabel, San Diego County, California, February 2, 2015 .....	10
8. Map showing location data for eagle GOEA-SD-F007 captured at Long Potrero, San Diego County, California, February 23, 2015 .....	11
9. Map showing location data for eagle GOEA-SD-F008 captured at Pamo Valley, San Diego County, California, March 14, 2015 .....	12
10. Map showing location data for eagle GOEA-SD-F009 captured at Rancho Jamul Ecological Reserve, San Diego County, California, November 23, 2015 .....	13
11. Map showing location data for eagle GOEA-RV-F010 captured at Santa Rosa Plateau, Riverside County, California, December 12, 2015.....	14
12. Map showing location data for eagle GOEA-SD-F011 captured at Proctor Valley, San Diego County, California, December 20, 2015 .....	15
13. Map showing location data for eagle GOEA-SD-F013 captured at Gregory Mountain, San Diego County, California, February 11, 2016.....	16
14. Map showing location data for eagle GOEA-OC-F014 captured at Fremont Canyon, Orange County, California, February 12, 2016 .....	17
15. Map showing location data for eagle GOEA-OC-F015 captured at Fremont Canyon, Orange County, California, February 12, 2016 .....	18
16. Map showing location data for eagle GOEA-SD-M001 captured at Cedar Canyon, San Diego County, California, December 5, 2014 .....	19

Figures—Continued

17. Map showing location data for eagle GOEA-SD-M002 captured at Marron Valley, San Diego County, California, January 8, 2015 .....20

18. Map showing location data for eagle GOEA-SD-M003 captured at Rancho Canada, San Diego County, California, February 3, 2015 .....21

19. Map showing location data for eagle GOEA-SD-M004 captured at Barrett Lake, San Diego County, California, February 7, 2015 .....22

20. Map showing location data for eagle GOEA-SD-M005 captured at Long Potrero, San Diego County, California, February 23, 2015 .....23

21. Map showing location data for eagle GOEA-SD-M006 captured at Barrett Lake, San Diego County, California, December 1, 2015 .....24

22. Map showing location data for eagle GOEA-SD-M007 captured at Long Valley, San Diego County, California, December 9, 2015 .....25

23. Map showing location data for eagle GOEA-RV-M008 captured at Santa Rosa Plateau, Riverside County, California, December 11, 2015 .....26

24. Map showing location data for eagle GOEA-SD-M009 captured at Proctor Valley, San Diego County, California, December 13, 2015 .....27

25. Map showing location data for eagle GOEA-SD-M010 captured at Proctor Valley, San Diego County, California, December 17, 2015 .....28

26. Map showing location data for eagle GOEA-SD-M011 captured at Barrett Lake, San Diego County, California, December 21, 2015 .....29

27. Map showing location data for eagle GOEA-OC-M012 captured at Brush Canyon, Orange County, California, December 27, 2015 .....30

28. Map showing location data for all eagles since time of capture, southern California .....31

Tables

1. Summary of golden eagles captured in southern California, November 2014–February 2016 .....3

Conversion Factors

International System of Units to Inch/Pound

Multiply	By	To obtain
kilometer (km)	0.6214	mile (mi)
millimeter (mm)	0.03937	inch (in.)
meter per second (m/s)	3.281	foot per second (ft/s)

# Biotelemetry Data for Golden Eagles (*Aquila chrysaetos*) Captured in Coastal Southern California, November 2014–February 2016

By Jeff A. Tracey<sup>1</sup>, Melanie C. Madden<sup>1</sup>, Jeremy B. Sebes<sup>1</sup>, Peter H. Bloom<sup>2</sup>, Todd E. Katzner<sup>1</sup>, and Robert N. Fisher<sup>1</sup>

## Abstract

The status of golden eagles (*Aquila chrysaetos*) in coastal southern California is unclear. To address this knowledge gap, the U.S. Geological Survey (USGS) in collaboration with local, State, and other Federal agencies began a multi-year survey and tracking program of golden eagles to address questions regarding habitat use, movement behavior, nest occupancy, genetic population structure, and human impacts on eagles. Golden eagle trapping and tracking efforts began in October 2014 and continued until early March 2015. During the first trapping season that focused on San Diego County, we captured 13 golden eagles (8 females and 5 males). During the second trapping season that began in November 2015, we focused on trapping sites in San Diego, Orange, and western Riverside Counties. By February 23, 2016, we captured an additional 14 golden eagles (7 females and 7 males). In this report, biotelemetry data were collected between November 22, 2014, and February 23, 2016. The location data for eagles ranged as far north as San Luis Obispo, California, and as far south as La Paz, Baja California, Mexico.

## Introduction

Growing uncertainty about the status of golden eagles (*Aquila chrysaetos*) in southern California has highlighted the need for ecological information that will allow local managers to evaluate and mitigate the effects of human activities on this species (Scott, 1985; Harlow and Bloom, 1989). Populations of golden eagles in California are typically comprised of resident or migratory breeders, resident or migratory non-breeders (for example, adult floaters or subadults), and seasonal itinerants. A better understanding of the current distribution, status, foraging requirements, and population

characteristics of golden eagles can help to manage golden eagle habitat and threats/stressors to each nesting territory in coastal southern California. The U.S. Geological Survey (USGS) in collaboration with U.S. Fish and Wildlife Service (USFWS), the California Department of Fish and Wildlife (CDFW), and the San Diego Management and Monitoring Program (SDMMP) began a multi-year survey and tracking program of golden eagles to address questions regarding habitat use, movement behavior, nest occupancy, genetic population structure, and human impacts on eagles. This report presents biotelemetry data associated with the capture of 26 golden eagles from November 22, 2014 through February 23, 2016.

## Methods

### Biotelemetry

Since October 2014, we have been trapping eagles at targeted sites across San Diego County, California. We began the second season of eagle trapping in November 2015, and included trapping sites in San Diego, Orange, and western Riverside Counties.

Once captured, each eagle was given an eagle ID for this study, a USGS Bird Banding Laboratory leg band (if it did not already have one), and a GPS transmitter that sends data over the mobile phone network (a GPS-GSM transmitter; Dunstan, 1972; Kenward, 1985; Lanzone and others, 2012). The eagle ID consists of a four-letter code for the species, a two-letter code for the county of capture, and an “F” or “M” followed by a numeral (with up to two leading zeros) to indicate the sex and capture order of the individual. For example, the first female eagle captured in San Diego County was given an eagle ID of GOEA-SD-F001. We use the county code OC for Orange County and RV for Riverside County.

---

<sup>1</sup>U.S. Geological Survey.

<sup>2</sup>Bloom Biological, Inc.

Standard morphological measurements and samples were taken from each captured eagle. Measurements included (1) weight, (2) wingspan, (3) hallux and culmen, and (4) characteristics of the primary and secondary flight feathers. Samples included (1) blood samples for genetic and lead testing, (2) swabs of the eyes, mouth and cloaca for chlamydia testing by University of California, Davis, and (3) 2–4 feathers for lead, stable isotope, and genetic testing. For the health of the eagle, rapid processing and release took precedence over collecting measurements and samples. Thus, in some cases we did not collect weight measurements or take blood samples for field lead testing in favor of properly attaching the GPS-GSM unit and releasing the eagle in a timely manner. When time permitted, eagles were tested in the field for lead toxicity using a LeadCare® II testing unit. If lead testing results were greater than 60  $\mu\text{L}/\text{dL}$ , we planned to deliver the eagle to Scott Weldy DVM (Orange County Bird of Prey Center, Serrano Animal & Bird Hospital) for therapy. All samples were collected under Dr. Peter Bloom's scientific collecting permit (Bloom Biological, Inc.) and delivered to the appropriate parties (University of California, Davis Wildlife Health Center, Todd Katzner of USGS, and Andrew DeWoody of Purdue University; each of whom is permitted to receive samples). No samples were retained in California by USGS. Sex was determined based on body size, weight, and measurements of the hallux and culmen and will be confirmed genetically. Age was estimated based on molt patterns (Bloom and Clark, 2001).

Each captured eagle was fitted with a Cellular Tracking Technologies (CTT™) CTT™-1070a GPS-GSM telemetry unit (Dunstan, 1972; Kenward, 1985; Lanzone and others, 2012). The units were attached to the eagles using 11 mm natural tubular Teflon™ tape fed through the attachment holes on the GPS-GSM unit and around the wings to form a “backpack.” The Teflon™ ribbon is non-abrasive and the standard method for attaching telemetry units to eagles. If the eagle had other markings or telemetry devices, other than a USGS Bird Banding Laboratory (BBL) leg band, we were directed by the BBL to remove them.

## Data Filtering

Once data were downloaded from CTT™ servers, the data were formatted (for example, formatting dates and converting text strings with latitude and longitude data into numerical values) and merged with data from prior downloads when needed. We applied two filters to the records to eliminate potentially erroneous locations prior to merging the new data with prior data.

To pass the first filter, six conditions had to be satisfied:

1. Location had to be at least 2D,
2. Horizontal dilution of precision (HDOP) had to be less than or equal to 5,
3. Vertical dilution of precision (VDOP), if available, had to be less than or equal to 5,
4. Longitudes values had to be available and be on the interval  $[-180, 180]$  degrees,
5. Latitude values had to be available and be on the interval  $[-90, 90]$  degrees, and
6. Fixes had to be at least 25 seconds apart (based on discussion with engineers at CTT™).

The second filter depends on distance metrics. To pass the second filter, two conditions had to be satisfied:

1. Location had to be within UTM zones 10, 11, or 12, and
2. Rate of displacement had to be realistic ( $\leq 89.4$  m/s horizontal or  $\leq 20.0$  m/s vertical).

## Biotelemetry Data for Captured Golden Eagles

As of February 23, 2016, we captured 27 golden eagles at 16 trapping locations (table 1, fig. 1). Currently, we have 15 eagles with active transmitters, 5 eagles with transmitters of unknown status, 3 eagles with inactive transmitters, and 4 eagles known to have died. An active transmitter is one from which we have received a download within the past 10 days. A transmitter with unknown status is one from which we have received data 11 to 60 days ago, an inactive transmitter is one from which we have not received a download in more than 60 days, and a mortality indicates that we have recovered the eagle's remains. Location data for 26 of the 27 captured golden eagles with transmitters are shown in figures 2–27. The transmitter attached to golden eagle GOEA-OC-F012 malfunctioned and no data were received. Thus, there is not a location map for this golden eagle.

A view of the location data over the entire extent of the area used by the golden eagles is shown in figure 28. Note that a lack of eagle data for a particular area does not necessarily imply that it is not used by eagles we are not tracking.

**Table 1.** Summary of golden eagles captured in southern California, November 2014–February 2016.


[Sex: F, female; M, male. Age: HY, hatch year; TY, third year; FY, fourth year; AFY, after fourth year; AFFY, after fifth year]

EagleID	Date	Location	Sex	Age	Status
GOEA-SD-F001	11-22-14	Boulder Oaks	F	AFY	Active
GOEA-SD-F002	11-28-14	Cedar Canyon	F	AFY	Active
GOEA-SD-F003	12-05-14	Cedar Canyon	F	AFY	Mortality
GOEA-SD-F004	12-27-14	Marron Valley	F	TY	Unknown
GOEA-SD-F005	01-03-15	O'Neal Canyon	F	AFY	Inactive
GOEA-SD-F006	02-02-15	Santa Ysabel	F	AFY	Inactive
GOEA-SD-F007	02-23-15	Long Potrero	F	AFFY	Active
GOEA-SD-F008	03-14-15	Pamo Valley	F	TY	Mortality
GOEA-SD-F009	11-23-15	Rancho Jamul Ecological Reserve	F	AFY	Mortality
GOEA-RV-F010	12-12-15	Santa Rosa Plateau	F	AFY	Active
GOEA-SD-F011	12-20-15	Proctor Valley	F	TY	Active
GOEA-OC-F012 <sup>1</sup>	02-10-16	Fremont Canyon	F	AFFY	Unknown
GOEA-SD-F013	02-11-16	Gregory Mountain	F	AFFY	Active
GOEA-OC-F014	02-12-16	Fremont Canyon	F	AFFY	Active
GOEA-OC-F015	02-12-16	Fremont Canyon	F	AFFY	Active
GOEA-SD-M001	12-05-14	Cedar Canyon	M	AFY	Active
GOEA-SD-M002	01-08-15	Marron Valley	M	AFY	Unknown
GOEA-SD-M003	02-03-15	Rancho Canada	M	AFFY	Active
GOEA-SD-M004	02-07-15	Barrett Lake	M	AFFY	Inactive
GOEA-SD-M005	02-23-15	Long Potrero	M	AFFY	Active
GOEA-SD-M006	12-01-15	Barrett Lake	M	AFY	Unknown
GOEA-SD-M007	12-09-15	Long Valley	M	AFY	Active
GOEA-RV-M008	12-11-15	Santa Rosa Plateau	M	HY	Mortality
GOEA-SD-M009	12-13-15	Proctor Valley	M	TY	Unknown
GOEA-SD-M010	12-17-15	Proctor Valley	M	HY	Active
GOEA-SD-M011	12-21-15	Barrett Lake	M	AFY	Active
GOEA-OC-M012	12-27-15	Brush Canyon	M	FY	Active

<sup>1</sup>The transmitter attached to golden eagle GOEA-OC-F012 malfunctioned and no data were received. Thus, there is not a location map for this eagle.




#### 4 Biotelemetry Data for Golden Eagles Captured in Coastal Southern California, November 2014–February 2016



**Figure 1.** Golden eagle trapping locations, southern California.






**Figure 2.** Location data for eagle GOEA-SD-F001 captured at Boulder Oaks, San Diego County, California, November 22, 2014.




## 6 Biotelemetry Data for Golden Eagles Captured in Coastal Southern California, November 2014–February 2016




**Figure 3.** Location data for eagle GOEA-SD-F002 captured at Cedar Canyon, San Diego County, California, November 28, 2014.






**Figure 4.** Location data for eagle GOEA-SD-F003 captured at Cedar Canyon, San Diego County, California, December 5, 2014.






**Figure 5.** Location data for eagle GOEA-SD-F004 captured at Marron Valley, San Diego County, California, December 27, 2014.






**Figure 6.** Location data for eagle GOEA-SD-F005 captured at O'Neal Canyon, San Diego, California, January 3, 2015.






**Figure 7.** Location data for eagle GOEA-SD-F006 captured at Santa Ysabel, San Diego County, California, February 2, 2015.






**Figure 8.** Location data for eagle GOEA-SD-F007 captured at Long Potrero, San Diego County, California, February 23, 2015.





**Figure 9.** Location data for eagle GOEA-SD-F008 captured at Pamo Valley, San Diego County, California, March 14, 2015.




Map image is the intellectual property of Esri and is used herein under license.  
 Copyright © 2014 Esri and its licensors. All rights reserved.  
 Projection: Web Mercator Auxiliary Sphere, Datum is World Geodetic System of 1984,  
 UTM grid, zones 11 and 12

0 20 40 60 80 100 KILOMETERS  
 0 20 40 60 80 100 MILES


**Figure 10.** Location data for eagle GOEA-SD-F009 captured at Rancho Jamul Ecological Reserve, San Diego County, California, November 23, 2015.






**Figure 11.** Location data for eagle GOEA-RV-F010 captured at Santa Rosa Plateau, Riverside County, California, December 12, 2015.






**Figure 12.** Location data for eagle GOEA-SD-F011 captured at Proctor Valley, San Diego County, California, December 20, 2015.






**Figure 13.** Location data for eagle G0EA-SD-F013 captured at Gregory Mountain, San Diego County, California, February 11, 2016.






**Figure 14.** Location data for eagle GOEA-OC-F014 captured at Fremont Canyon, Orange County, California, February 12, 2016.






**Figure 15.** Location data for eagle GOEA-OC-F015 captured at Fremont Canyon, Orange County, California, February 12, 2016.






**Figure 16.** Location data for eagle GOEA-SD-M001 captured at Cedar Canyon, San Diego County, California, December 5, 2014.






**Figure 17.** Location data for eagle GOEA-SD-M002 captured at Marron Valley, San Diego County, California, January 8, 2015.






**Figure 18.** Location data for eagle GOEA-SD-M003 captured at Rancho Canada, San Diego County, California, February 3, 2015.






**Figure 19.** Location data for eagle GOEA-SD-M004 captured at Barrett Lake, San Diego County, California, February 7, 2015.






**Figure 20.** Location data for eagle GOEA-SD-M005 captured at Long Potrero, San Diego County, California, February 23, 2015.






**Figure 21.** Location data for eagle GOEA-SD-M006 captured at Barrett Lake, San Diego County, California, December 1, 2015.






**Figure 22.** Location data for eagle GOEA-SD-M007 captured at Long Valley, San Diego County, California, December 9, 2015.





**Figure 23.** Location data for eagle GOEA-RV-M008 captured at Santa Rosa Plateau, Riverside County, California, December 11, 2015.






Map image is the intellectual property of Esri and is used herein under license.  
 Copyright © 2014 Esri and its licensors. All rights reserved.  
 Projection: Web Mercator Auxiliary Sphere, Datum is World Geodetic System of 1984,  
 UTM grid, zone 11


**Figure 24.** Location data for eagle GOEA-SD-M009 captured at Proctor Valley, San Diego County, California, December 13, 2015.





**Figure 25.** Location data for eagle GOEA-SD-M010 captured at Proctor Valley, San Diego County, California, December 17, 2015.






Map image is the intellectual property of Esri and is used herein under license.  
 Copyright © 2014 Esri and its licensors. All rights reserved.  
 Projection: Web Mercator Auxiliary Sphere, Datum is World Geodetic System of 1984,  
 UTM grid, zone 11

**Figure 26.** Location data for eagle GOEA-SD-M011 captured at Barrett Lake, San Diego County, California, December 21, 2015.





**Figure 27.** Location data for eagle GOEA-OC-M012 captured at Brush Canyon, Orange County, California, December 27, 2015.





**Figure 28.** Location data for all eagles since time of capture, southern California.



## Acknowledgments

We thank the USGS field biologists who have made this project possible, including Jordyn Mulder, Monique Wong, James Molden, Michelle Curtis, Devin Adsit-Morris, Karen Aerni, Nicole Deatherage, Robert Krijgsman, and Cary Cochran. We thank Susan Phillips, Sue Jones, and Keith Miles of USGS for their managerial support. We also thank Bloom Biological Inc. biologists Michael Kuehn, Marcus England, Karly Moore, and Jackie Catino and Wendy Humphrey of Bloom Biological Inc. for administrative support. John Martin, Jeff Wells, Joe Papp, Sharon Coe, Kris Preston, Barbara Kus, Suellen Lynn volunteered to assist in eagle trapping. Members of the numerous agencies provided support, including the California Department of Fish and Wildlife (Karen Miner, Tracie Nelson, Jason Price, Carie Battistone, and Rich Burg); the U.S. Fish and Wildlife Service (Susan Wynn, Mary Beth Woulfe, Tom Dietsch, Jill Terp, John Martin, Randy Nagel, Joel Pagel, and Karen Goebel); the Bureau of Land Management (Amy Fesnock, Joyce Schlachter, and Carrie Simmons), the U.S. Forest Service (Jeff Wells), the County of San Diego (Jennifer Price), the City of San Diego (Nicole McGinnis, Tim Nguyen), SANDAG/SDMMP (Keith Greer, Paul Fromer, Ron Rempel, Yvonne Moore, Kris Preston, and the EMP Working Group), the Irvine Ranch Conservancy (David Raetz, Sherry Fuller, and Jutta Burger), Orange County Parks (John Gump and Sean Bengtson), California State Parks (Ken Kietzer and Michael Puzzo), Pala Band of Mission Indians, Corte Madera Ranch, Jerry Crowe FBI Regional Tactical Training Center (El Toro), Santa Margarita Ecological Reserve, Back Country Land Trust, Santa Rosa Plateau Ecological Reserve (Carole Bell), Gonzalo De León (Centro de Investigaciones Biológicas del Noroeste, S. C.), and Amber Craig (Border Patrol). We thank Winston Vickers (University of California, Davis) and Jeff Lincer (Researchers Implementing Conservation Action) for their support. We thank Andrew McGann at Cellular Tracking Technologies for technical support. Finally, Frank Konyn, Robert Van

Ommering, Brad Scott, and Steve Stiles provided assistance in acquiring bait.

## References Cited

- Bloom, P.H., and Clark, W.S., 2001, Molt and sequence of plumages of golden eagles, and a technique for in-hand ageing: *North American Bird Bander*, v. 26, p. 97–116.
- Dunstan, T.C., 1972, Radio-tagging Falconiform and Strigiform birds: *Raptor Research*, v. 6, p. 93–102.
- Harlow, D.L., and Bloom, P.H., 1989, *Buteos* and the golden eagle: Proceedings of the Western Raptor Management Symposium and Workshop, October 26–28, 1987, Boise, Idaho. National Wildlife Federation Scientific and Technical Series 12, p. 102–110.
- Kenward, R.E., 1985, Raptor radio-tracking and telemetry: International Centre for Birds of Prey, Technical Publication 5, p. 409–420.
- Lanzone, M.J., Miller, T.A., Turk, P., Brandes, D., Halverson, C., Maisonneuve, C., Tremblay, J.A., Cooper, J., O'Malley, K., Brooks, R.P., and Katzner, T.E., 2012, Flight responses by a migratory soaring raptor to changing meteorological conditions: *Biology Letters*, v. 8, p. 710–713.
- Scott, T.A., 1985, Human impacts on the golden eagle population of San Diego County: San Diego State University, San Diego, California, M.S. thesis.



Publishing support provided by the U.S. Geological Survey  
Science Publishing Network, Tacoma Publishing Service Center

For more information concerning the research in this report, contact the  
Director, Western Ecological Research Center  
U.S. Geological Survey  
3020 State University Drive East  
Sacramento, California 95819  
<http://www.werc.usgs.gov/>



